

## VPME 9.1.01 Completed Tasks List

Type	Topic	Description
B	Candidate Keys	When a candidate key was defined for a cursoradapter in the Data Builder, the definition was not saved properly.
B	Combobox	An error occurred if the Picklist fields list contained the “f2reftable” alias.
B	Condition Builder	The new Match Case functionality in the Condition Builder was causing conditions based on non-character fields to not be handled properly.
B	CursorAdapters	An error occurred when a cursoradapter cursor was refreshed while a transaction was active. This occurred in the RI routine and when the record-level field validation was performed.
B	New Project Message Builder	An error occurred when the New Project Message Builder option was selected when a project was not open. A project must now be open before that option can be selected. This is necessary because the New Project Message Builder form is instantiated from the Message_Manager class of the open project.
B	New Project Message Builder	An error occurred when the Translations button on the New Project Message Builder form was clicked.
B	On-Form Toolbar	When the New button of an on-form toolbar was clicked, and then immediately the Cancel button was clicked, the new record was not removed. It took three clicks of the Cancel button to remove the new record.
B	Related Pages Builder	The Related Pages form builder was not filling in the caption of headers in grids properly.
B	Reports	<p>The default menu command that was created by the Report Editor form was not correct. The old command was:</p> <p>DO FORM (_SCREEN.oApp.cReportSetupForm) WITH '&lt;report name&gt;,report'</p> <p>The new command is:</p> <p>_SCREEN.oApp.RunReportSetupForm('&lt;report name&gt;,report')</p>
C	CursorAdapter and View Tags	In the Data Builder, when the New button is clicked for a cursoradapter or view to create a new tag, the Edit page is displayed with the focus on the Tag Name field with the default tag name “NEWTAG” automatically filled in. Now, the “NEWTAG” text is selected so that it is removed as soon as the first key is pressed. Previously, the “NEWTAG” text was not selected, which meant it had to be manually deleted and replaced with the desired tag name.

Type	Topic	Description
E	Combobox	The cValidFilterExpression and aValidFilterVariables entries are now applied to the combobox cursor to filter the list of items that appear in the combobox dropdown. The cValidFilterExpression entry is applied to cursoradapter, table, and view cursors. The aValidFilterVariables entry is applied to cursoradapter and view cursors. If entries are made in both properties, both are applied.
E	Select on Entry	If the SelectOnEntry property of a combobox, editbox, spinner, or textbox is set to .T., clicking on the control now causes the text in the control to be selected.

**Type:** B – Bug, C – Change, E – Enhancement